

oneQ is by far the easiest and most flexible built-in barbecue on the market. All modules have the same size, so you can use the same opening in your kitchen counter or garden table for several purposes.

You simply create a standard sized opening and then you can place any oneQ function in that opening: a FLAME gas grill, a GLOW charcoal grill, a oneQ WOK BURNER, an ICE wine cooler, a WET sink with a faucet, a BAMBOO cutting board or even a small kamado grill. All functions are interchangeable, so can use a wine coolers one day when you are just having drinks and put in a grill the next day when you guests for a barbecue party.

# Built-in OPTIONS



**oneQ Roasting Hood**  
Optional grill hood with hinge, glass window and thermometer.



**oneQ Flame**  
Or any other oneQ module.



**Built-in Socket**  
Mandatory for oneQ Flame and oneQ Glow. Not necessary for any other oneQ modules. Remove foil and apply the 4 supplied silicone buffers into the Socket before use.








**Built-in (Hood) Adaptor**  
Fits in any 41x41 cm square opening. Built-in Hood Adaptor always required when using a Roasting Hood. Regular Built-in Adaptor not necessary when creating a recessed groove in the opening (see measurements on next pages).



# Measurements WITH ADAPTOR

# WITHOUT ADAPTOR



# Built-in

## REMARKS AND WARNINGS

- The direct installation of oneQ products into a countertop or table requires a square opening with a recessed groove.
- Please adhere to the measurements in this manual.
- The Built-in Socket is mandatory for building in a Flame or Glow and recommended with the oneQ Wok Burner.
- Only build in the oneQ Flame, Glow or Wok Burner into a non-combustible surface. oneQ is not liable for any damage or coloring of the surface the oneQ is build into.
- Ensure there is enough ventilation and air flow underneath and around the surface.
- The use of a Built-in Adaptor provides extra protection and excludes the need for a recessed groove in the opening in the kitchen surface or table.
- The Built-in Hood Adaptor is required in stead of the regular Built-in Adaptor when using a Roasting Hood.
- If you have any questions regarding safety or the procedures described in this manual, please contact us at [info@one-q.com](mailto:info@one-q.com) or visit [one-q.com](http://one-q.com).



# oneQ PRODUCTS

 <p>FLAME GAS BARBECUE 201501701</p>	 <p>GLOW CHARCOAL BARBECUE 900901710</p>	 <p>WOK BURNER 202201702</p>	 <p>TABLE (POLYETHYLENE) 800901740 BAMBOO CUTTING BOARD 700901750</p>
 <p>ICE BLACK 200901720</p>	 <p>ICE INOX 100901720</p>	 <p>WET BLACK 200901730</p>	 <p>WET INOX 100901730</p>
 <p>BUILT-IN SOCKET 900901750</p>	 <p>BUILT-IN ADAPTOR 900901751 BUILT-IN HOOD ADAPTOR 900901752</p>	For all oneQ products, prices and additional information, please contact us at <a href="mailto:info@one-q.com">info@one-q.com</a> .  oneQ B.V. Wateringweg 83-C 2031 EK Haarlem The Netherlands <a href="http://one-q.com">one-q.com</a>	

ONEQ SMART OUTDOOR COOKING